




# Aluminiumprofile



## Anbauprofile

LLP-SL01-01 (21x25mm)	5
LLP-SL02-06 (36x26mm)	6
LLP-SL03-02 (8x10mm)	7
LLP-SL04-04 (18x6mm - bendable)	8
LLP-SL05-03 (17x15mm)	9
LLP-SL06-05 (27x12mm)	10
LLP-SL07-05 (27x7mm)	11
LLP-SL08-03 (17x8mm)	12
LLP-SL09-12 (21x10mm - waterproof)	13
LLP-SL10-13 (21x16mm - waterproof)	14
LLP-SL11-01 (21x17mm) <b>NEW</b>	15
LLP-SL12-16 (13x8mm) <b>NEW</b>	16
LLP-AC03-00(15x10mm) <b>NEW</b>	17

## Einbauprofile

LLP-RE01-03 (23x8mm)	18
LLP-RE02-03 (23x15mm)	19
LLP-RE03-05 (37x14mm)	20
LLP-RE04-07 (67x22mm)	21
LLP-RE05-01 (32x15mm)	22
LLP-RE06-01 (32x25mm)	23
LLP-RE07-12 (32x10mm - waterproof)	24
LLP-RE08-13 (32x16mm - waterproof)	25
LLP-RE09-02 (8x9mm)	26
LLP-RE10-02 (21x9mm) <b>NEW</b>	27

## Eckprofile

LLP-AN01-03 (19x19mm)	28
LLP-AN02-08 (16x16mm)	29
LLP-AN03-08 (16x16mm)	30
LLP-AN04-09 (30x30mm)	31
LLP-AN05-09 (30x30mm)	32

## Wandprofile

LLP-WL01-03 (18x48mm)	33
LLP-WL02-03 (24x24mm)	34
LLP-WL03-01 (30x28mm)	35

## Profile für Stahlbeton

LLP-CC01-06 (45x36mm)	36
-----------------------	----

## Profile zum Abhängen

LLP-CL01-06 (36x75mm)	37
LLP-CL02-07 (50x75mm)	38
LLP-CL04-18 (60x73mm) <b>NEW</b>	40

## Runde Profile

LLP-NE01-14 (30mm diameter)	41
LLP-NE02-15 (30mm diameter - waterproof)	42
LLP-NE03-17 (75mm diameter) <b>NEW</b>	43

## Profile für Fliesen

LLP-TI01-11 (58x12mm - walkable waterproof)	44
LLP-TI02-10 (8x39mm)	45
LLP-ST01-02 (30x27mm)	46

## Profile für Trockenbau

LLP-DW01-03 (16x12mm)	47
LLP-DW02-03 (64x22mm)	48
LLP-DW03-03 (32x42mm)	49
LLP-DW04-06 (35x49mm)	50
LLP-DW05-07 (50x49mm)	51
LLP-DW06-02 (50x10mm) <b>NEW</b>	52
LLP-DW07-01 (62x12,5mm)	53
LLP-DW08-03 (57x10mm) <b>NEW</b>	54
LLP-DW09-01 (97x35mm) <b>NEW</b>	55
LLP-DW10-05 (54x47mm) <b>NEW</b>	56

## Profile als Sockelleiste

LLP-BB01-02 (14x80mm)	57
LLP-BB02-02 (75x12mm)	58

## Profile für Handläufe

LLP-HR01-0203 (107x144mm)	59
---------------------------	----

## Profile für Möbel


LLP-SH01-03 (20x20mm) <b>NEW</b>	61
LLP-WB01-00 (15x29mm) <b>NEW</b>	62

## Abdeckungen für Profile

	63
--	----

## Profilübersicht

	64
--	----



# 24V LED STRIPS

## HIGH END Serie bis zu 150lm/Watt

SmartMon 

Artikel Nr.	Watt/m	Lumen/m	Farbtemperatur	CRI	Trennbarkeit	Abmessung	IP	Volt	Garantie
ES-5630112083020	19,2	2.805	3000K	>80	7,14 cm	5000x10x2 mm	IP 20	24 V	5 Jahre
ES-5630112083065	19,2	2.805	3000K	>80	7,14 cm	5000x10x2 mm	IP 65	24 V	5 Jahre
ES-5630112084020	19,2	2.940	4000K	>80	7,14 cm	5000x10x2 mm	IP 20	24 V	5 Jahre
ES-5630112084065	19,2	2.940	4000K	>80	7,14 cm	5000x10x2 mm	IP 65	24 V	5 Jahre
ES-56307283020	13	1.800	3000K	>80	10 cm	5000x10x2 mm	IP 20	24 V	5 Jahre
ES-56307283065	13	1.800	3000K	>80	10 cm	5000x10x2 mm	IP 65	24 V	5 Jahre
ES-56307284020	13	1.890	4000K	>80	10 cm	5000x10x2 mm	IP 20	24 V	5 Jahre
ES-56307284065	13	1.890	4000K	>80	10 cm	5000x10x2 mm	IP 65	24 V	5 Jahre

## ADVANCED Serie bis zu 90lm/Watt

SmartMon 


Artikel Nr.	Watt/m	Lumen/m	Farbtemperatur	CRI	Trennbarkeit	Abmessung	IP	Volt	Garantie
ES-28356093020	14,4	960	3000K	>94	10 cm	5000x10x2 mm	IP 20	24 V	5 Jahre
ES-28356093065	14,4	960	3000K	>94	10 cm	5000x10x2 mm	IP 65	24 V	5 Jahre
ES-28356094020	14,4	1.020	4000K	>94	10 cm	5000x10x2 mm	IP 20	24 V	5 Jahre
ES-28356094065	14,4	1.020	4000K	>94	10 cm	5000x10x2 mm	IP 65	24 V	5 Jahre




# LLP-SL01-01

Available in 2 m for LED strip up to 17 mm width


## COVERS



## PHOTOMETRIC CURVE




High opal cover  
(light reduction: -25%)




Low opal cover  
(light reduction: -31%)



## INSTALLATION



## END CAPS



## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL01-01-S2	Surface profile	2 m	Anodized aluminium	Silver		48 pcs
LLP-SL01-01-W2	Surface profile	2 m	Anodized aluminium	White		48 pcs
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		120 pcs
LLD-01-FM2	Low opal cover	2 m	Polycarbonate	-		190 pcs
LLE-SL01A-GP-N / LLE-SL01A-WP-N	High end cap	-	Plastic	Grey / White	A	250 pcs
LLE-SL01B-GP-N / LLE-SL01B-WP-N	Low end cap	-	Plastic	Grey / White	B	400 pcs
LLM-IN01-M	Mounting clip	-	Metal	-	C	-
LLM-SP02-M	Mounting spring	-	Metal	-	D	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	E	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	F	-
LLM-AC01-M	Straight connector	-	Metal	-	G	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	H	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	I	-
LLM-AC04-M	90° vertical connector	-	Metal	-	L	-


# LLP-SL02-06

Available in 3 m for LED strip up to 28 mm width


## COVERS



## PHOTOMETRIC CURVE




High opal cover: -36%  
High frosted cover: -38%



Low opal cover: -40%  
Low frosted cover: -42%



## INSTALLATION



## END CAPS

## MOUNTING CLIPS



A	B	C	D	E	F	G	H	I	L
Article	Description	Length	Material	Color	Picture	Packaging			
LLP-SL02-06-S3	Surface profile	3 m	Anodized aluminium	Silver		18 pcs			
LLP-SL02-06-W3	Surface profile	3 m	Anodized aluminium	White		18 pcs			
LLD-06-CM3	Opal cover	3 m	Polycarbonate	-		30 pcs			
LLD-06-CS3	Frosted cover	3 m	Polycarbonate	-		30 pcs			
LLE-SL02-GP-N / LLE-SL02-WP-N	End cap without hole	-	Plastic	Grey / White	A	-			
LLE-SL02-GP-W / LLE-SL02-WP-W	End cap with hole	-	Plastic	Grey / White	B	-			
LLM-IN01-M	Mounting clip	-	Metal	-	C	-			
LLM-SP02-M	Mounting spring	-	Metal	-	D	-			
LLM-CL01-M	Suspension kit	2 m	Metal	-	E	-			
LLM-CL02-M	Suspension kit	2 m	Metal	-	F	-			
LLM-AC01-M	Straight connector	-	Metal	-	G	-			
LLM-AC02-M	120° horizontal connector	-	Metal	-	H	-			
LLM-AC03-M	90° horizontal connector	-	Metal	-	I	-			
LLM-AC04-M	90° vertical connector	-	Metal	-	L	-			


# LLP-SL03-02

Available in 2 m and 3 m for LED strip up to 6 mm width


## COVERS



## PHOTOMETRIC CURVE



Opal cover: -35%  
Frosted cover: -38%



## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL03-02-S2 / LLP-SL03-02-S3	Surface profile	2 / 3 m	Anodized aluminium	Silver		100 pcs
LLD-02-FM2 / LLD-02-FM3	Opal cover	2 / 3 m	Polycarbonate	-		300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		300 pcs
LLE-SL03RE09-GS-U	End cap	-	Silicone	Grey	A	-
LLM-IN03-M	Mounting clip	-	Metal	-	B	-


# LLP-SL04-04

Available in 2 m for LED strip up to 13 mm width

## COVERS



## PHOTOMETRIC CURVE



Opal cover  
(light reduction: -25%)



## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL04-04-S2	Surface profile	2 m	Anodized aluminium	Silver		160 pcs
LLD-04-UM2	Opal cover	2 m	Polycarbonate	-		240 pcs
LLE-SL04-GP-N	End cap without hole	-	Plastic	Grey	A	1250 pcs
LLE-SL04-GP-W	End cap with hole	-	Plastic	Grey	B	1250 pcs
LLM-ES03-M	Mounting clip	-	Metal	-	C	-



# LLP-SL05-03


Available in 2 m and 3 m for LED strip up to 12 mm width




## COVERS




## PHOTOMETRIC CURVE




Transparent cover 50°  
(light reduction: -34%)



Semiopal cover 67°  
(light reduction: -38%)




Opal cover: -49%  
Frosted cover: -55%



18° lens cover  
(light reduction: -34%)

## INSTALLATION



## END CAPS



## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL05-03-S2 / LLP-SL05-03-S3	Surface profile	2 / 3 m	Anodized aluminium	Silver		70 / 48 pcs
LLP-SL05-03-B2 / LLP-SL05-02-B3	Surface profile	2 / 3 m	Anodized aluminium	Black		70 / 48 pcs
LLP-SL05-03-W2 / LLP-SL05-03-W3	Surface profile	2 / 3 m	Anodized aluminium	White		70 / 48 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	18° lens	2 / 3 m	PMMA	-		-
LLE-SL05-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-SL05-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL05-WP-W	End cap with hole	-	Plastic	White	B	-
LLE-SL05-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLM-ES02-M	Mounting clip	-	Metal	-	C	-
LLM-ES02-P	Mounting clip	-	Plastic	-	D	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	E	-


# LLP-SL06-05

Available in 2 m and 3 m for LED strip up to 12 mm width


## COVERS



## PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -14%)



Opal cover: -32%  
Frosted cover: -33%



## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL06-05-S2 / LLP-SL06-05-S3	Surface profile	2 / 3 m	Anodized aluminium	Silver		50 pcs
LLP-SL06-05-W2 / LLP-SL06-05-W3	Surface profile	2 / 3 m	Anodized aluminium	White		50 pcs
LLD-05-FK2 / LLD-05-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		240 / 140 pcs
LLD-05-FM2 / LLD-05-FM3	Opal cover	2 / 3 m	Polycarbonate	-		240 / 140 pcs
LLD-05-FS2 / LLD-05-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		240 / 140 pcs
LLE-SL06-GP-N / LLE-SL06-WP-N	End cap without hole	-	Plastic	Grey / White	A	-
LLE-SL06-GP-W / LLE-SL06-WP-W	End cap with hole	-	Plastic	Grey / White	B	-
LLM-ES04-M	Mounting clip	-	Metal	-	C	-


# LLP-SL07-05

Available in 2 m for LED strip up to 24 mm width


## COVERS



## PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -8%)



Opal cover: -26%  
Frosted cover: -27%



## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL07-05-S2	Surface profile	2 m	Anodized aluminium	Silver		-
LLP-SL07-05-W2	Surface profile	2 m	Anodized aluminium	White		-
LLD-05-FK2	Transparent cover	2 m	Polycarbonate	-		240 pcs
LLD-05-FM2	Opal cover	2 m	Polycarbonate	-		240 pcs
LLD-05-FS2	Frosted cover	2 m	Polycarbonate	-		240 pcs
LLE-SL07-GP-N / LLE-SL07-WP-N	End cap without hole	-	Plastic	Grey / White	A	-
LLE-SL07-GP-W / LLE-SL07-WP-W	End cap with hole	-	Plastic	Grey / White	B	-
LLM-ES04-M	Mounting clip	-	Metal	-	C	-


# LLP-SL08-03

Available in 2 m and 3 m for LED strip up to 12 mm width


## COVERS




## PHOTOMETRIC CURVE




Transparent cover 90°  
(light reduction: -16%)



Semiopal cover 90°  
(light reduction: -20%)



Opal cover: -32%  
Frosted cover: -39%



60° lens cover  
(light reduction: -16%)

## INSTALLATION



## END CAPS

## MOUNTING CLIPS



A

B

C

D

E

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL08-03-S2 / LLP-SL08-03-S3	Surface profile	2 / 3 m	Anodized aluminium	Silver		120 / 80 pcs
LLP-SL08-03-B2 / LLP-SL08-03-B3	Surface profile	2 / 3 m	Anodized aluminium	Black		120 / 80 pcs
LLP-SL08-03-W2 / LLP-SL08-03-W3	Surface profile	2 / 3 m	Anodized aluminium	White		120 / 80 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	60° lens	2 / 3 m	PMMA	-		-
LLE-SL08-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-SL08-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL08-WP-W	End cap with hole	-	Plastic	White	B	-
LLE-SL08-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLM-ES01-M	Mounting clip	-	Metal	-	C	-
LLM-ES01-P	Mounting clip	-	Plastic	-	D	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	E	-


# LLP-SL09-12

Available in 3 m for LED strip up to 12 mm width


## COVERS




## PHOTOMETRIC CURVE



Opal cover  
(light reduction: -32%)



## INSTALLATION



## END CAPS


## MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL09-12-S3	Waterproof surface profile	3 m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strip	3 m	Anodized aluminium	Silver		-
LLD-12-WM3	Opal cover	3 m	Polycarbonate	-		-
LLE-SL09-GP-N	End cap without hole	-	Plastic	Grey	A	400 pcs
LLE-SL09-GP-W	End cap with hole	-	Plastic	Grey	B	400 pcs
LLE-D12W-WS-U	Internal end cap	-	Silicone	White	C	400 pcs
LLM-ES07-M	Mounting clip	-	Metal	-	D	-

# LLP-SL10-13


Available in 3 m for LED strip up to 12 mm width



## COVERS



## PHOTOMETRIC CURVE



Opal cover  
(light reduction: -44%)



## INSTALLATION



## END CAPS





## MOUNTING CLIPS

Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL10-13-S3	Waterproof surface profile	3 m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strip	3 m	Anodized aluminium	Silver		-
LLD-13-WM3	Opal cover	3 m	Polycarbonate	-		-
LLE-SL10-GP-N	End cap without hole	-	Plastic	Grey	A	300 pcs
LLE-SL10-GP-W	End cap with hole	-	Plastic	Grey	B	300 pcs
LLE-D13W-WS-U	Internal end cap	-	Silicone	White	C	200 pcs
LLM-ES08-M	Mounting clip	-	Metal	-	D	-


# LLP-SL11-01

Available in 2 m for LED strip up to 12 mm width

## COVERS




## PHOTOMETRIC CURVE




High opal cover  
(light reduction: -20%)



## INSTALLATION



## END CAPS    MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL11-01-S2	Surface profile	2 m	Anodized aluminium	Silver	-	-
LLP-SL11-01-W2	Surface profile	2 m	Anodized aluminium	White	-	-
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-	-	-
LLE-SL11-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL11-WP-N	End cap without hole	-	Plastic	White	A	-
LLM-IN04-M	Mounting clip	-	Metal	-	B	-
LLM-SP02-M	Mounting spring	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-


# LLP-SL12-16

Available in 2 m for LED strip up to 10 mm width


## COVERS



## PHOTOMETRIC CURVE



Opal cover  
(light reduction: -37%)



## INSTALLATION



END CAPS

MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SL12-16-S2	Surface profile	2 m	Anodized aluminium	Silver	-	-
LLP-SL12-16-W2	Surface profile	2 m	Anodized aluminium	White	-	-
LLD-16-FK2	Transparent cover	2 m	Polycarbonate	-	-	-
LLD-16-FM2	Opal cover	2 m	Polycarbonate	-	-	-
LLD-16-FS2	Frosted cover	2 m	Polycarbonate	-	-	-
LLE-SL12-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-SL12-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-SL12-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLE-SL12-WP-W	End cap with hole	-	Plastic	White	B	-
LLM-ES09-M	Mounting clip	-	Metal	-	C	-




# LLP-AC03-00

Available in 3 m for IP protection LED strip up to 12 mm width

## PHOTOMETRIC CURVE



Light reduction: -21%



## INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AC03-00-S3	Surface profile	3 m	Anodized aluminium	Silver		-


# LLP-RE01-03

Available in 2 m and 3 m for LED strip up to 12 mm width


## COVERS




## PHOTOMETRIC CURVE




Transparent cover 90°  
(light reduction: -16%)



Semiopal cover 90°  
(light reduction: -20%)




Opal cover: -32%  
Frosted cover: -39%



60° lens cover  
(light reduction: -16%)



## INSTALLATION



## END CAPS



A


B

Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE01-03-S2 / LLP-RE01-03-S3	Recessed profile	2 / 3 m	Anodized aluminium	Silver		80 / 60 pcs
LLP-RE01-03-B2 / LLP-RE01-03-B3	Recessed profile	2 / 3 m	Anodized aluminium	Black		80 / 60 pcs
LLP-RE01-03-W2 / LLP-RE01-03-W3	Recessed profile	2 / 3 m	Anodized aluminium	White		80 / 60 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	60° lens	2 / 3 m	PMMA	-		-
LLE-RE01-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-RE01-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-RE01-WP-W	End cap with hole	-	Plastic	White	B	-
LLE-RE01-GP-W	End cap with hole	-	Plastic	Grey	B	-


# LLP-RE02-03

Available in 2 m and 3 m for LED strip up to 12 mm width


## COVERS




## PHOTOMETRIC CURVE




Transparent cover 50°  
(light reduction: -34%)



Semiopal cover 67°  
(light reduction: -38%)



Opal cover: -49%  
Frosted cover: -55%



18° Lens cover  
(light reduction: -34%)



## INSTALLATION



## END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE02-03-S2 / LLP-RE02-03-S3	Recessed profile	2 / 3 m	Anodized aluminium	Silver		80 / 60 pcs
LLP-RE02-03-B2 / LLP-RE02-03-B3	Recessed profile	2 / 3 m	Anodized aluminium	Black		80 / 60 pcs
LLP-RE02-03-W2 / LLP-RE02-03-W3	Recessed profile	2 / 3 m	Anodized aluminium	White		80 / 60 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	18° lens	2 / 3 m	PMMA	-		-
LLE-RE02-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-RE02-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-RE02-WP-W	End cap with hole	-	Plastic	White	B	-
LLE-RE02-GP-W	End cap with hole	-	Plastic	Grey	B	-


# LLP-RE03-05

Available in 2 m for LED strip up to 12 mm width


## COVERS



## PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -14%)



Opal cover: -32%  
Frosted cover: -33%



## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE03-05-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLD-05-FK2	Transparent cover	2 m	Polycarbonate	-		240 pcs.
LLD-05-FM2	Opal cover	2 m	Polycarbonate	-		240 pcs
LLD-05-FS2	Frosted cover	2 m	Polycarbonate	-		240 pcs
LLE-RE03-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-RE03-GP-W	End cap with hole	-	Plastic	Grey	B	-
LLM-ES01-M	Mounting clip	-	Metal	-	C	-
LLM-SP01-M	Mounting spring	-	Metal	-	D	-


# LLP-RE04-07

Available in 2 m for LED strip up to 43 mm width


## COVERS



## PHOTOMETRIC CURVE



Low opal cover: -39%  
Low frosted cover: -41%



High opal cover: -38%  
High frosted cover: -39%



## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE04-07-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLP-RE04-07-W2	Recessed profile	2 m	Anodized aluminium	White		-
LLD-07-CM2	Opal cover	2 m	Polycarbonate	-		-
LLD-07-CS2	Frosted cover	2 m	Polycarbonate	-		-
LLE-RE04B-GP-W / LLE-RE04B-WP-W	Low end cap	-	Plastic	Grey / White	A	-
LLE-RE04A-GP-W / LLE-RE04A-WP-W	High end cap	-	Plastic	Grey / White	B	-
LLM-SP01-M	Mounting spring	-	Metal	-	C	-
LLM-AC01-M	Straight connector	-	Metal	-	D	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	E	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	F	-
LLM-AC04-M	90° vertical connector	-	Metal	-	G	-


# LLP-RE05-01

Available in 2 m for LED strip up to 17 mm width


## COVERS



## PHOTOMETRIC CURVE




High opal cover  
(light reduction: -29%)



Flat opal cover  
(light reduction: -36%)



## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE05-01-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLP-RE05-01-W2	Recessed profile	2 m	Anodized aluminium	White		-
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		120 pcs
LLD-01-FM2	Low opal cover	2 m	Polycarbonate	-		190 pcs
LLE-RE05-GP-W / LLE-RE05-WP-W	End cap with hole	-	Plastic	Grey / White	A	250 pcs
LLE-D01C-GP-X / LLE-D01C-WP-X	End cap for high cover	-	Plastic	Grey / White	B	500 pcs
LLM-SP01-M	Mounting spring	-	Metal	-	C	-


# LLP-RE06-01

Available in 2 m for LED strip up to 17 mm width


## COVERS



## PHOTOMETRIC CURVE




High opal cover  
(light reduction: -38%)



Flat opal cover  
(light reduction: -45%)




## INSTALLATION



## END CAPS



## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE06-01-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		120 pcs
LLD-01-FM2	Low opal cover	2 m	Polycarbonate	-		190 pcs
LLE-RE06-GP-W	End cap with hole	-	Plastic	Grey	A	150 pcs
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	500 pcs
LLM-SP01-M	Mounting spring	-	Metal	-	C	-
LLM-SP02-M	Mounting spring	-	Metal	-	D	-


# LLP-RE07-12

Available in 3 m for LED strip up to 12 mm width

## COVERS



## PHOTOMETRIC CURVE



Opal cover  
(light reduction: -32%)



## INSTALLATION



## END CAPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE07-12-S3	Waterproof recessed profile	3 m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strip	3 m	Anodized aluminium	Silver		-
LLD-12-WM3	Opal cover	3 m	Polycarbonate	-		-
LLE-RE07-GP-W	External end cap with hole	-	Plastic	Grey	A	300 pcs
LLE-D12W-WS-U	Internal end cap	-	Silicone	White	B	400 pcs




# LLP-RE08-13

Available in 3 m for LED strip up to 12 mm width


## COVERS



## PHOTOMETRIC CURVE



Opal cover  
(light reduction: -44%)



## INSTALLATION




## END CAPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE08-13-S3	Waterproof recessed profile	3 m	Anodized aluminium	Silver		-
LLP-AC01-00-S3	Flat bar for LED strip	3 m	Anodized aluminium	Silver		-
LLD-13-WM3	Opal cover	3 m	Polycarbonate	-		-
LLE-RE08-GP-W	External end cap with hole	-	Plastic	Grey	A	200 pcs
LLE-D13W-WS-U	Internal end cap	-	Silicone	White	B	200 pcs

# LLP-RE09-02


Available in 2 m and 3 m for LED strip up to 6 mm width



## COVERS



## PHOTOMETRIC CURVE



Opal cover: -50%  
Frosted cover: -53%



## INSTALLATION



## END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE09-02-S2 / LLP-RE09-02-S3	Recessed profile	2 / 3 m	Anodized aluminium	Silver		160 pcs
LLD-02-FM2 / LLD-02-FM3	Opal cover	2 / 3 m	Polycarbonate	-		300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		300 pcs
LLE-SL03RE09-GS-U	End cap	-	Silicone	Grey	A	-

# LLP-RE10-02


Available in 2 m for LED strip up to 6 mm width



## COVERS



## PHOTOMETRIC CURVE



Opal cover: -46%  
Frosted cover: -50%




## INSTALLATION



Article	Description	Length	Material	Color	Picture	Packaging
LLP-RE10-02-S2	Recessed profile	2 m	Anodized aluminium	Silver		-
LLP-RE10-02-W2	Recessed profile	2 m	Anodized aluminium	White		-
LLD-02-FM2	Opal cover	2 m	Polycarbonate			300 pcs
LLD-02-FS2	Frosted cover	2 m	Polycarbonate			300 pcs

# LLP-AN01-03


Available in 2 m for LED strip up to 14 mm width




## COVERS




## PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -25%)



Semiopal cover  
(light reduction: -29%)




Opal cover: -41%  
Frosted cover: -47%




40° lens cover  
(light reduction: -25%)

## INSTALLATION



## END CAPS



## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN01-03-S2	Corner profile	2 m	Anodized aluminium	Silver		40 pcs
LLP-AN01-03-W2	Corner profile	2 m	Anodized aluminium	White		40 pcs
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		320 pcs
LLD-03-XK2-L1	40° lens	2 m	PMMA	-		-
LLE-AN01-GP-N / LLE-AN01-WP-N	End cap without hole	-	Plastic	Grey / White	A	-
LLE-AN01-GP-W / LLE-AN01-WP-W	End cap with hole	-	Plastic	Grey / White	B	-
LLM-IN01-M	Mounting clip	-	Metal	-	C	-


# LLP-AN02-08

Available in 2 m and 3 m for LED strip up to 10 mm width


## COVERS



## PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -9%)



Opal cover: -25%  
Frosted cover: -28%



## INSTALLATION



## END CAPS



## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN02-08-S2 / LLP-AN02-08-S3	Corner profile	2 / 3 m	Anodized aluminium	Silver		100 / 80 pcs
LLD-08-UK2 / LLD-08-UK3	Round transparent cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLD-08-UM2 / LLD-08-UM3	Round opal cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLD-08-US2 / LLD-08-US3	Round frosted cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLE-AN0203-GP-N	Round end cap without hole	-	Plastic	Grey	A	-
LLE-AN0203-GP-W	Round end cap with hole	-	Plastic	Grey	B	-
LLM-ES05-M	Mounting clip	-	Metal	-	C	-
LLM-ES05-P	Mounting clip	-	Plastic	-	D	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	E	-


# LLP-AN03-08

Available in 2 m and 3 m for LED strip up to 10 mm width


## COVERS



## PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -9%)



Opal cover: -25%  
Frosted cover: -28%



## INSTALLATION



### END CAPS


### MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN03-08-S2 / LLP-AN03-08-S3	Corner profile	2 / 3 m	Anodized aluminium	Silver		120 / 80 pcs
LLD-08-UK2 / LLD-08-UK3	Round transparent cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLD-08-UM2 / LLD-08-UM3	Round opal cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLD-08-US2 / LLD-08-US3	Round frosted cover	2 / 3 m	Polycarbonate	-		320 / 140 pcs
LLE-AN0203-GP-N	Round end cap without hole	-	Plastic	Grey	A	-
LLE-AN0203-GP-W	Round end cap with hole	-	Plastic	Grey	B	-
LLM-ES05-M	Mounting clip	-	Metal	-	C	-
LLM-ES05-P	Mounting clip	-	Plastic	-	D	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	E	-

# LLP-AN04-09


Available in 2 m and 3 m for LED strip up to 21 mm width




## COVERS




## PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -7%)




Opal cover: -22%  
Frosted cover: -28%




Opal L cover  
(light reduction: -25%)

## INSTALLATION



## END CAPS



## MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN04-09-S2 / LLP-AN04-09-S3	Corner profile	2 / 3 m	Anodized aluminium	Silver		50 / 32 pcs
LLD-09-UK2 / LLD-09-UK3	Round transparent cover	2 / 3 m	Polycarbonate	-		140 pcs
LLD-09-UM2 / LLD-09-UM3	Round opal cover	2 / 3 m	Polycarbonate	-		140 pcs
LLD-09-US2 / LLD-09-US3	Round frosted cover	2 / 3 m	Polycarbonate	-		140 pcs
LLD-09-LM2 / LLD-09-LM3	Square opal cover	2 / 3 m	Polycarbonate	-		100 pcs
LLE-AN0405-GP-N	Round end cap without hole	-	Plastic	Grey	A	-
LLE-AN0405-GP-W	Round end cap with hole	-	Plastic	Grey	B	-
LLE-AN0405L-GP-N	Square end cap without hole	-	Plastic	Grey	C	100 pcs
LLE-AN0405L-GP-W	Square end cap with hole	-	Plastic	Grey	D	100 pcs
LLM-ES06-M	Mounting clip	-	Metal	-	E	-
LLM-ES06-P	Mounting clip	-	Plastic	-	F	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	G	-


# LLP-AN05-09

Available in 2 m and 3 m for LED strip up to 21 mm width


## COVERS




## PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -7%)



Opal cover: -22%  
Frosted cover: -28%




Opal L cover  
(light reduction: -25%)

## INSTALLATION



END CAPS

MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-AN05-09-S2 / LLP-AN05-09-S3	Corner profile	2 / 3 m	Anodized aluminium	Silver		-
LLP-AN05-09-W3	Corner profile	3 m	Anodized aluminium	White		-
LLD-09-UK2 / LLD-09-UK3	Round transparent cover	2 / 3 m	Polycarbonate	-		140 pz.
LLD-09-UM2 / LLD-09-UM3	Round opal cover	2 / 3 m	Polycarbonate	-		140 pz.
LLD-09-US2 / LLD-09-US3	Round frosted cover	2 / 3 m	Polycarbonate	-		140 pz.
LLD-09-LM2 / LLD-09-LM3	Square opal cover	2 / 3 m	Polycarbonate	-		100 pz.
LLE-AN0405-GP-N / LLE-AN0405-WP-N	Round end cap without hole	-	Plastic	Grey / White	A	-
LLE-AN0405-GP-W / LLE-AN0405-WP-W	Round end cap with hole	-	Plastic	Grey / White	B	-
LLE-AN0405L-GP-N / LLE-AN0405L-WP-N	Square end cap without hole	-	Plastic	Grey / White	C	-
LLE-AN0405L-GP-W / LLE-AN0405L-WP-W	Square end cap with hole	-	Plastic	Grey / White	D	-
LLM-IN02-M	Internal mounting clip	-	Metal	-	E	-
LLM-ES06-M	External mounting clip	-	Metal	-	F	-
LLM-ES06-P	External mounting clip	-	Plastic	-	G	-
LLM-AC05-P	90° mounting clip	-	Plastic	-	H	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	I	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	L	-



# LLP-WL01-03


Available in 2 m for LED strip up to 14 mm width




## COVERS




## PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -20%)



Semiopal cover  
(light reduction: -25%)




Opal cover: -37%  
Frosted cover: -43%



55° lens cover  
(light reduction: -19%)

## INSTALLATION



## END CAPS




## MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL01-03-S2	Wall profile	2 m	Anodized aluminium	Silver		-
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		320 pcs
LLD-03-XK2-L1	55° lens	2 m	PMMA	-		-
LLE-WL01S-GP-U	Left end cap	-	Plastic	A		-
LLE-WL01D-GP-U	Right end cap	-	Plastic	B		-
LLM-ES02-M	Mounting clip	-	Metal	C		-

# LLP-WL02-03


Available in 2 m for LED strip up to 12 mm width




## COVERS




## PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -16%)



Semiopal cover  
(light reduction: -21%)




Opal cover: -33%  
Frosted cover: -39%



56° lens cover  
(light reduction: -16%)


## INSTALLATION



## END CAPS



## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL02-03-S2	Wall profile	2 m	Anodized aluminium	Silver		50 pcs
LLP-WL02-03-W2	Wall profile	2 m	Anodized aluminium	White		50 pcs
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		320 pcs
LLD-03-XK2-L1	56° lens	2 m	PMMA	-		-
LLE-WL02S-GP-U / LLE-WL02S-WP-U	Left end cap	-	Plastic	Grey / White	A	-
LLE-WL02D-GP-U / LLE-WL02D-WP-U	Right end cap	-	Plastic	Grey / White	B	-
LLM-IN04-M	Mounting clip	-	Metal	-	C	-


# LLP-WL03-01

Available in 2 m for LED strip up to 17 mm width


## COVERS



## PHOTOMETRIC CURVE



High opal cover  
(light reduction: -37%)



Flat opal cover  
(light reduction: -43%)



## INSTALLATION



## END CAPS



## MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-WL03-01-S2	Wall profile	2 m	Anodized aluminium	Silver		-
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		120 pcs
LLD-01-FM2	Low opal cover	2 m	Polycarbonate	-		190 pcs
LLE-WL03-GP-N	End cap	-	Plastic	Grey	A	125 pcs
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	B	500 pcs
LLM-IN01-M	Mounting clip	-	Metal	-	C	-

# LLP-CC01-06


Available in 3 m for LED strip up to 12 mm width




## COVERS



## PHOTOMETRIC CURVE




High Opal cover: -64%  
High Frosted cover: -63%



Low Opal cover: -65%  
Low Frosted cover: -65%

## INSTALLATION



## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-CC01-06-G3	Profile for concrete	3 m	PVC	Grey		-
LLD-06-CM3	Opal cover	3 m	Polycarbonate	-		30 pcs
LLD-06-CS3	Frosted cover	3 m	Polycarbonate	-		30 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	B	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	C	-
LLM-AC04-M	90° vertical connector	-	Metal	-	D	-


# LLP-CL01-06

Available in 3 m for LED strip up to 20 mm width


## COVERS




## PHOTOMETRIC CURVE




High opal cover step 1: -38%  
High frosted cover step 1: -40%



Low opal cover step 1: -42%  
Low frosted cover step 1: -44%




Low opal cover step 2: -54%  
Low frosted cover step 2: -56%



High opal cover step 2: -51%  
High frosted cover step 2: -53%

Step 1: heatsink in lower position  
Step 2: heatsink in upper position

## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL01-06-S3	Suspended profile	3 m	Anodized aluminium	Silver		8 pcs
LLP-CL01-06-B3	Suspended profile	3 m	Anodized aluminium	Black		8 pcs
LLP-CL01-06-W3	Suspended profile	3 m	Anodized aluminium	White		8 pcs
LLP-HS01-00-S3	Heatsink	3 m	Anodized aluminium	Silver		-
LLD-06-CM3	Opal cover	3 m	Polycarbonate	-		30 pcs
LLD-06-CS3	Frosted cover	3 m	Polycarbonate	-		30 pcs
LLE-CL01-SM-U	End cap	-	Aluminium	Silver	A	-
LLE-CL01-BM-U / LLE-CL01-WM-U	End cap	-	Aluminium	Black / White	A	-
LLM-IN06-M	Mounting clip for heatsink	-	Metal	-	B	-
LLM-AC01-M	Straight connector	-	Metal	-	C	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	D	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	E	-
LLM-AC04-M	90° vertical connector	-	Metal	-	F	-
LLM-SP02-M	Mounting spring	-	Metal	-	G	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	H	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	I	-



# LLP-CL02-07

Available in 2 m and 3 m for LED strip up to 35 mm width



## COVERS





Photometric curves carried out changing the position of lower cover



— C0-C180 — C90-C270  
Opal cover: -39%  
Frosted cover: -42%




— C0-C180 — C90-C270  
Opal cover: -40%  
Frosted cover: -43%



— C0-C180 — C90-C270  
Opal cover: -39%  
Frosted cover: -41%

## Photometric curves carried out changing the position of upper covers



### END CAPS

### MOUNTING CLIPS





Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL02-07-S2 / LLP-CL02-07-S3	Suspended profile	2 / 3 m	Anodized aluminium	Silver		-
LLP-CL02-07-B3 / LLP-CL02-07-W3	Suspended profile	3 m	Anodized aluminium	Black / White		-
LLP-HS02-00-S2 / LLP-HS02-00-S3	Heatsink	2 / 3 m	Anodized aluminium	Silver		-
LLD-07-CM2 / LLD-07-CM3	Opal cover	2 / 3 m	Polycarbonate	-		-
LLD-07-CS2 / LLD-07-CS3	Frosted cover	2 / 3 m	Polycarbonate	-		-
LLD-03-FK2 / LLD-03-FK3	Upper transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Upper opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Upper semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Upper frosted cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	Upper 54° lens	2 / 3 m	PMMA	-		-
LLE-CL02-SM-U	End cap	-	Aluminium	Silver	A	-
LLE-CL02-BM-U / LLE-CL02-WM-U	End cap	-	Aluminium	Black / White	A	-
LLM-IN06-M	Mounting clip for heatsink	-	Metal	-	B	-
LLM-AC01-M	Straight connector	-	Metal	-	C	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	D	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	E	-
LLM-AC04-M	90° vertical connector	-	Metal	-	F	-
LLM-SP02-M	Mounting spring	-	Metal	-	G	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	H	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	I	-


# LLP-CL04-18

Available in 3 m for LED strip up to 50 mm width


## COVERS



## PHOTOMETRIC CURVE




Opal cover: -37%  
Frosted cover: -38%



Biemission Opal: -37%  
Biemission Frosted: -38%

## INSTALLATION



## END CAPS

## MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-CL04-18-S3	Suspended profile	3 m	Anodized aluminium	Silver	-	-
LLP-CL04-18-B3	Suspended profile	3 m	Anodized aluminium	Black	-	-
LLP-CL04-18-W3	Suspended profile	3 m	Anodized aluminium	White	-	-
LLP-CL04-00-S3	Aluminium plate	3 m	Anodized aluminium	Silver	-	-
LLP-CL04-00-W3	Aluminium plate	3 m	Anodized aluminium	White	-	-
LLP-CL04-00-B3	Aluminium plate	3 m	Anodized aluminium	Black	-	-
LLD-18-FM3	Opal cover	3 m	Polycarbonate	-	-	-
LLD-18-FS3	Frosted cover	3 m	Polycarbonate	-	-	-
LLE-CL04-GP-N	End cap without hole	-	Plastic	Grey	A	-
LLE-CL04-WP-N	End cap without hole	-	Plastic	White	A	-
LLE-CL04-BP-N	End cap without hole	-	Plastic	Black	A	-
LLM-CL01-M	Suspension kit	2 m	Metal	-	B	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	C	-
LLM-SP02-M	Mounting spring	-	Metal	-	D	-
LLM-AC01-M	Straight connector	-	Metal	-	E	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	F	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	G	-
LLM-AC04-M	90° vertical connector	-	Metal	-	H	-




# LLP-NE01-14

Available in 2 m for LED strip up to 20 mm width


## COVERS




## PHOTOMETRIC CURVE



Opal cover  
(light reduction: -13%)



## INSTALLATION



## END CAPS




## MOUNTING CLIPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE01-14-S2	Round profile	2 m	Anodized aluminium	Silver		100 pcs
LLD-14-RM2	Opal cover	2 m	Polycarbonate	-		60 pcs
LLE-NE0102-GP-N	End cap without hole	-	Plastic	Grey	A	125 pcs
LLE-NE0102-GP-W	End cap with hole	-	Plastic	Grey	B	125 pcs
LLM-CL01-M	Suspension kit	2 m	Metal	-	C	-
LLM-CL02-M	Suspension kit	2 m	Metal	-	D	-
LLM-SP02-M	Mounting spring	-	Metal	-	E	-
LLM-AC01-M	Straight connector	-	Metal	-	F	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	G	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	H	-
LLM-AC04-M	90° vertical connector	-	Metal	-	I	-

# LLP-NE02-15


Available in 2 m for LED strip up to 18 mm width



## COVERS



## PHOTOMETRIC CURVE



Opal cover  
(light reduction: -13%)



## END CAPS



Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE02-15-S2	Waterproof round profile	2 m	Anodized aluminium	Silver		-
LLD-15-WM2	Opal cover	2 m	Polycarbonate	-		-
LLE-NE0102-GP-N	End cap without hole	-	Plastic	Grey	A	125 pcs
LLE-NE0102-GP-W	End cap with hole	-	Plastic	Grey	B	125 pcs
LLE-D15W-WS-U	Internal end cap	-	Silicone	White	C	120 pcs

# LLP-NE03-17


Available in 2 m for LED strip up to 15 mm width




## COVERS



## PHOTOMETRIC CURVE



Opal cover  
(light reduction: -32%)



## INSTALLATION



## END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-NE03-17-S2	Round profile	2 m	Anodized aluminium	Silver		-
LLD-17-RM2	Opal cover	2 m	Polycarbonate	-		-
LLE-NE03-WP-N	End cap without hole	-	Plastic	White	A	-
LLM-CL03-M	Suspension kit	2 m	Metal	-		-

# LLP-TI01-11




Available in 3 m for LED strip up to 12 mm width



## COVERS




## PHOTOMETRIC CURVE



Opal cover: -42%  
Frosted cover: -43%



## INSTALLATION



## END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI01-11-S3	Tiling waterproof profile	3 m	Anodized aluminium	Silver		-
LLP-AC02-00-S3	Flat bar	3 m	Anodized aluminium	Silver		-
LLD-11-WM3	Opal cover	3 m	Polycarbonate	-		-
LLD-11-WS3	Frosted cover	3 m	Polycarbonate	-		-
LLE-D11W-WS-U	End cap	-	Silicone	White	A	550 pcs


# LLP-TI02-10

Available in 3 m for LED strip up to 17 mm width


## COVERS



## PHOTOMETRIC CURVE



Frosted cover  
(light reduction: -26%)



## INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-TI02-10-S3	Tiling profile	3 m	Anodized aluminium	Silver	-	-
LLD-10-LS3	Frosted cover	3 m	Polycarbonate	-	-	-


# LLP-ST01-02

Available in 2 m for LED strip up to 6 mm width

## COVERS




## PHOTOMETRIC CURVE



Opal cover: -68%  
Frosted cover: -69%




## INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-ST01-02-S2	Profile for step	2 m	Anodized aluminium	Silver	-	-
LLP-ST01-02-B2	Profile for step	2 m	Anodized aluminium	Black	-	-
LLD-02-FM2	Opal cover	2 m	Polycarbonate	-	-	300 pcs
LLD-02-FS2	Frosted cover	2 m	Polycarbonate	-	-	300 pcs

# LLP-DW01-03

Available in 3 m for LED strip up to 14 mm width




## INSTALLATION




## COVERS




## PHOTOMETRIC CURVE




Transparent cover 40°  
(light reduction -41%)



Semiopal cover  
(light reduction: -45%)



Opal cover: -59%  
Frosted cover: -60%




14° lens cover  
(light reduction: -41%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW01-03-S3	Drywall profile	3 m	Anodized aluminium	Silver		24 pcs
LLD-03-FK3	Transparent cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3 m	Polycarbonate	-		180 pcs
LLD-03-XK3-L1	14° lens	3 m	PMMA	-		-


# LLP-DW02-03

Available in 2 m for LED strip up to 16 mm width


## COVERS




## PHOTOMETRIC CURVE




Transparent cover  
(light reduction -38%)



Semiopal cover  
(light reduction: -42%)



Opal cover: -56%  
Frosted cover: -58%



13° lens cover  
(light reduction: -38%)



## INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW02-03-S2	Drywall profile	2 m	Anodized aluminium	Silver		-
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		320 pcs
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		320 pcs
LLD-03-XK2-L1	13° lens	2 m	PMMA	-		-



# LLP-DW03-03

Available in 3 m for LED strip up to 13 mm width




## INSTALLATION




## COVERS




## PHOTOMETRIC CURVE




Transparent cover  
(light reduction -35%)



Semiopal cover  
(light reduction -42%)



Opal cover: -53%  
Frosted cover: -59%




11° lens cover  
(light reduction -37%)

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW03-03-S3	Drywall profile	3 m	Anodized aluminium	Silver		-
LLD-03-FK3	Transparent cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3 m	Polycarbonate	-		180 pcs
LLD-03-XK3-L1	11° lens	3 m	PMMA	-		-


# LLP-DW04-06

Available in 3 m for LED strip up to 20 mm width


## COVERS



## PHOTOMETRIC CURVE




High opal cover: -38%  
High frosted cover: -40%



Low opal cover: -42%  
Low frosted cover: -44%



## INSTALLATION



## END CAPS

## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW04-06-S3	Drywall profile	3 m	Anodized aluminium	Silver		-
LLP-HS01-00-S3	Heatsink	3 m	Anodized aluminium	Silver		-
LLD-06-CM3	Opal cover	3 m	Polycarbonate	-		30 pcs
LLD-06-CS3	Frosted cover	3 m	Polycarbonate	-		30 pcs
LLE-DW04-SM-U	End cap	-	Aluminium	Silver	A	-
LLM-IN06-M	Mounting clip for heatsink	-	Metal	-	B	-
LLM-AC01-M	Straight connector	-	Metal	-	C	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	D	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	E	-
LLM-AC04-M	90° vertical connector	-	Metal	-	F	-


# LLP-DW05-07

Available in 3 m for LED strip up to 35 mm width


## COVERS



## PHOTOMETRIC CURVE



High opal cover: -39%  
High frosted cover: -40%



Low opal cover: -41%  
Low frosted cover: -42%




## INSTALLATION



## END CAPS



## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW05-07-S3	Drywall profile	3 m	Anodized aluminium	Silver	-	-
LLP-HS02-00-S3	Heatsink	3 m	Anodized aluminium	Silver	-	-
LLD-07-CM3	Opal cover	3 m	Polycarbonate	-	-	-
LLD-07-CS3	Frosted cover	3 m	Polycarbonate	-	-	-
LLE-DW05-SM-U	End cap	-	Aluminium	Silver	A	-
LLM-IN06-M	Mounting clip for heatsink	-	Metal	-	B	-
LLM-AC01-M	Straight connector	-	Metal	-	C	-
LLM-AC02-M	120° horizontal connector	-	Metal	-	D	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	E	-
LLM-AC04-M	90° vertical connector	-	Metal	-	F	-


# LLP-DW06-02

Available in 3 m for LED strip up to 6 mm width

## COVERS



## PHOTOMETRIC CURVE



Opal cover: -55%  
Frosted cover: -59%



## INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW06-02-W3	Drywall profile	3 m	Anodized aluminium	White		-
LLD-02-FM3	Opal cover	3 m	Polycarbonate	-		300 pcs
LLD-02-FS3	Frosted cover	3 m	Polycarbonate	-		300 pcs


# LLP-DW07-01

Available in 2 m for LED strip up to 18 mm width


## COVERS



## PHOTOMETRIC CURVE



High opal cover  
(light reduction: -25%)



Low opal cover  
(light reduction: -31%)



## INSTALLATION



## END CAPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW07-01-S2	Drywall profile	2 m	Anodized aluminium	Silver		35 pcs
LLP-DW07-01-W2	Drywall profile	2 m	Anodized aluminium	White		35 pcs
LLD-01-CM2	High opal cover	2 m	Polycarbonate	-		120 pcs
LLD-01-FM2	Low opal cover	2 m	Polycarbonate	-		190 pcs
LLE-D01C-GP-X	End cap for high cover	-	Plastic	Grey	A	500 pcs


# LLP-DW08-03

Available in 3 m for LED strip up to 14 mm width


## COVERS




## PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -21%)



Semiopal cover  
(light reduction: -24%)



Opal cover: -37%  
Frosted cover: -40%



## INSTALLATION



Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW08-03-W3	Drywall profile	3 m	Anodized aluminium	White		-
LLD-03-FK3	Transparent cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FM3	Opal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FH3	Semiopal cover	3 m	Polycarbonate	-		180 pcs
LLD-03-FS3	Frosted cover	3 m	Polycarbonate	-		180 pcs


# LLP-DW09-01

Available in 2 m for LED strip up to 17 mm width

## COVERS



## PHOTOMETRIC CURVE



Low opal cover  
(light reduction: -35%)



## INSTALLATION



## MOUNTING CLIPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW09-01-W2	Drywall profile	2 m	Anodized aluminium	White		-
LLD-01-FM2	Low opal cover	2 m	Polycarbonate	-		190 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-


# LLP-DW10-05

Available in 3 m for LED strip up to 24 mm width


## COVERS



## PHOTOMETRIC CURVE




Transparent cover  
(light reduction: -20%)



Opal cover  
(light reduction: -37%)

## INSTALLATION



## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-DW10-05-S3	Drywall profile	3 m	Anodized aluminium	Silver		-
LLP-DW10-05-W3	Drywall profile	3 m	Anodized aluminium	White		-
LLD-05-FK3	Transparent cover	3 m	Polycarbonate	-		140 pcs
LLD-05-FM3	Opal cover	3 m	Polycarbonate	-		140 pcs
LLD-05-FS3	Frosted cover	3 m	Polycarbonate	-		140 pcs
LLM-AC01-M	Straight connector	-	Metal	-	A	-
LLM-AC03-M	90° horizontal connector	-	Metal	-	B	-
LLM-AC04-M	90° vertical connector	-	Metal	-	C	-




# LLP-BB01-02

Available in 2 m for LED strip up to 10 mm width

## COVERS




## PHOTOMETRIC CURVE



Opal cover: -68%  
Frosted cover: -69%



## INSTALLATION



## MOUNTING CLIPS




A

Article	Description	Length	Material	Color	Picture	Packaging
LLP-BB01-02-S2	Baseboard profile	2 m	Anodized aluminium	Silver		-
LLP-BB01-02-B2	Baseboard profile	2 m	Anodized aluminium	Black		-
LLP-BB01-02-W2	Baseboard profile	2 m	Anodized aluminium	White		-
LLD-02-FM2	Opal cover	2 m	Polycarbonate	-		300 pcs
LLD-02-FS2	Frosted cover	2 m	Polycarbonate	-		300 pcs
LLM-IN05-P	Mounting clip	-	Plastic	-	A	-


# LLP-BB02-02

Available in 2 m for LED strip up to 6 mm width

## COVERS




## PHOTOMETRIC CURVE



Opal cover: -65%  
Frosted cover: -67%



## INSTALLATION




Article	Description	Length	Material	Color	Picture	Packaging
LLP-BB02-02-S2	Baseboard profile (rear part)	2 m	Anodized aluminium	Silver	-	-
LLP-BB03-00-S2	Baseboard profile (front part)	2 m	Anodized aluminium	Silver	-	-
LLP-BB03-00-B2	Baseboard profile (front part)	2 m	Anodized aluminium	Black	-	-
LLD-02-FM2	Opal cover	2 m	Polycarbonate	-	-	300 pcs
LLD-02-FS2	Frosted cover	2 m	Polycarbonate	-	-	300 pcs


# LLP-HR01-0203

Available in 6 m for LED strip up to 6 mm and 12 mm width

## COVERS





## INSTALLATION





— C0-C180 — C90-C270  
Frosted cover

Article	Description	Length	Material	Color	Picture	Packaging
LLP-HR01-0203-S6	Handrail profile	6 m	Anodized aluminium	Silver		-
LLD-02-FM2 / LLD-02-FM3	Opal cover	2 / 3 m	Polycarbonate	-		300 pcs
LLD-02-FS2 / LLD-02-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		300 pcs
LLD-03-FK2 / LLD-03-FK3	Transparent cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FM2 / LLD-03-FM3	Opal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FH2 / LLD-03-FH3	Semiopal cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-FS2 / LLD-03-FS3	Frosted cover	2 / 3 m	Polycarbonate	-		320 / 180 pcs
LLD-03-XK2-L1 / LLD-03-XK3-L1	60° lens	2 / 3 m	PMMA	-		-





— C0-C180 — C90-C270

Transparent cover  
(light reduction: -17%)




— C0-C180 — C90-C270

60° lens cover  
(light reduction: -17%)



— C0-C180 — C90-C270

Transparent cover




— C0-C180 — C90-C270

Transparent cover

# LLP-SH01-03


Available in 2 m for LED strip up to 12 mm width




## COVERS




## PHOTOMETRIC CURVE



Transparent cover  
(light reduction: -19%)



Semiopal cover  
(light reduction: -23%)




Opal cover: -37%  
Frosted cover: -39%

## INSTALLATION



## END CAPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-SH01-03-S2	Shelf profile	2 m	Anodized aluminium	Silver		-
LLP-SH01-03-W2	Shelf profile	2 m	Anodized aluminium	White		-
LLD-03-FK2	Transparent cover	2 m	Polycarbonate	-		180 pcs
LLD-03-FM2	Opal cover	2 m	Polycarbonate	-		180 pcs
LLD-03-FH2	Semiopal cover	2 m	Polycarbonate	-		180 pcs
LLD-03-FS2	Frosted cover	2 m	Polycarbonate	-		180 pcs
LLE-SH01S-GP-N	Left end cap without hole	-	Plastic	Grey	A	-
LLE-SH01D-GP-N	Right end cap without hole	-	Plastic	Grey	B	-
LLE-SH01S-WP-N	Left end cap without hole	-	Plastic	White	A	-
LLE-SH01D-WP-N	Right end cap without hole	-	Plastic	White	B	-



# LLP-WB01-00

Available in 2 m for 6 mm Neon Flex


## PHOTOMETRIC CURVE



Light reduction: -15%




## INSTALLATION




## MOUNTING CLIPS




Article	Description	Length	Material	Color	Picture	Packaging
LLP-WB01-00-S2	Wardrobe profile	2 m	Anodized aluminium	Silver		-






LLP-SL01-01



LLP-SL02-06




LLP-SL03-02




LLP-SL04-04




LLP-SL05-03




LLP-SL06-05



LLP-SL07-05




LLP-SL08-03




LLP-SL09-12




LLP-SL10-13




LLP-SL11-01




LLP-SL12-16




LLP-AC03-00




LLP-RE01-03




LLP-RE02-03




LLP-RE03-05




LLP-RE04-07




LLP-RE05-01




LLP-RE06-01




LLP-RE07-12




LLP-RE08-13




LLP-RE09-02




LLP-RE10-02




LLP-AN01-03




LLP-AN02-08



LLP-AN03-08




LLP-AN04-09




LLP-AN05-09




LLP-WL01-03



LLP-WL02-03




LLP-WL03-01




LLP-CC01-06







LLP-CL01-06



LLP-CL02-07



LLP-CL04-18




LLP-NE01-14



LLP-NE02-15




LLP-NE03-17




LLP-TI01-11




LLP-TI02-10




LLP-ST01-02




LLP-DW01-03




LLP-DW02-03




LLP-DW03-03




LLP-DW04-06




LLP-DW05-07




LLP-DW06-02




LLP-DW07-01



LLP-DW08-03




LLP-DW09-01




LLP-DW10-05




LLP-BB01-02




LLP-BB02-02



LLP-HR01-0203



LLP-SH01-03



LLP-WB01-00



smart mit led gmbh

Gorskistrasse 13

1230 Wien

Tel.: +43 1 979 0995 0

Fax.: +43 1 979 0995-13

office@smart-mit-led.com

www.sml-led.com

